

2. The second part of the paper is devoted to the study of the asymptotic behavior of the solutions of the problem (1.1)–(1.3) as $\varepsilon \rightarrow 0$. In this case, the asymptotic expansion of the solutions is obtained in the form of a series in powers of ε . The leading term of this expansion is the solution of the problem (1.1)–(1.3) with $\varepsilon = 0$. The higher-order terms of the expansion are determined by the solutions of the problems (1.1)–(1.3) with $\varepsilon = 0$ and the boundary conditions (1.4)–(1.5).

INTELLIGENCE REPORT

DATE: 25X1X6

INFO.

DIST. 4 November 1946

PAGES

SUPPLEMENT

25X1A6a

Document No. 04
NO CHANGE in Class. ☐ DECLASSIFIED
☐ DECLASSIFIED
Class. CHANGED TO: TS S (C)
DDA Memo, 4 Apr 77
Auth: DDA REG. 77/1763
Date: 04/04/78 By: 029

25X1A2g

CLASSIFICATION

~~SECRET~~ CONTROL - U.S. OFFICIALS ONLY

ADSO	A DEP.	FBI	SPDF	VTO
DADSO	FBK	FBV	SPDS	B DEP.
EXEC.	FBL	FBX	SPDT	CFCB
CONTROL	FBM	X FBZ	SCO	CTRB
PLANS	X FBP	SPDA	TBR	